

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/705,802	11/10/2003	Pamela A. Binns	H0004069 4783		
7590 10/01/2007 Kris T. Fredrick Patent Services Honeywell International Inc. 101 Columbia Road			EXAMINER LIU, BEN H		
			Morristown, NJ	07962	2616
			MAIL DATE	DELIVERY MODE	
			10/01/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No).	Applicant(s)			
		10/705,802		BINNS, PAMELA A.			
		Examiner		Art Unit			
•	·	Ben H. Liu		2616			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status	· .						
1)⊠	Responsive to communication(s) filed on 10 Novemenber, 2003.						
	This action is FINAL . 2b)⊠ This action is non-final.						
3)							
	closed in accordance with the practice under E	х рапе Quayle	, 1935 C.D. 11, 45	3 O.G. 213.			
Disposition of Claims							
 4) Claim(s) 1-12 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-12 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 							
Application Papers							
9) ☐ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 10 November 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority (ınder 35 U.S.C. § 119	•		•			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) Notice 3) Information	et(s) se of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) smation Disclosure Statement(s) (PTO/SB/08) ser No(s)/Mail Date 22 December, 2003	4) [5) [· 6) [Paper No(s)/Mail Da Notice of Informal Pa	ite			

Application/Control Number: 10/705,802

Art Unit: 2616

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, for claim 9, the limitations recited after the phrase "means for" in lines 3, 6, 8, and 10 must be shown or the feature(s) must be canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

Application/Control Number: 10/705,802

Art Unit: 2616

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1, 5, and 9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "said system" in lines 6 and 10. There is insufficient antecedent basis for this limitation in the claim.

Claims 1 and 2 recite the limitation "said hyperperiod" in line 12 and 4-5, respectively.

There is insufficient antecedent basis for this limitation in the claim.

Claim 5 recites the limitation "said system" in lines 6 and 7. There is insufficient antecedent basis for this limitation in the claim.

Claims 5 and 6 recite the limitation "said hyperperiod" in lines 8-9 and 4-5, respectively. There is insufficient antecedent basis for this limitation in the claim.

Claims 9 and 10 recite the limitation "said hyperperiod" in lines 11 and 4-5, respectively.

There is insufficient antecedent basis for this limitation in the claim.

Claims 2-4, 6-8, and 10-12 are rejected since they depend on claim 1.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Van As et al. (U.S. Patent 5,327,428), Ben-Nun et al. (5,568,470), Knoll et al. (5,742,847), and Grochowski et al. (6,035,389) are cited to show subject matter that is considered pertinent to the claimed inventions.

Application/Control Number: 10/705,802

Art Unit: 2616

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ben H. Liu whose telephone number is (571) 270-3118. The examiner can normally be reached on 9:00AM to 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Firmin Backer can be reached on (571) 272-6703. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BL